


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS						
REV	DESCRIPTION			DATE	INITIAL	APPROVED
A	DELETED -13, -15, -17 NOT PART OF TOOL. -19 CH'D FROM CASE TO PISTOL CASE RSR SPORTS #10137.			9/17/13	RJC	DW




ASSY QTY	ASSY #	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS	Pg.
			-1	1	SLEEVE	S.S.	Ø1-1/2 x 3-5/8	2
			-3	1	SPACER	S.S.	Ø1-3/4 x 1/2	3
			-5	2	FRAME	S.S.	3/4 x 2 x 4-3/4	4
		B/O	-7	2	HEX HEAD BOLT	S.S.	1/4-28 UNF x 1-7/8 AIRCRAFT SPRUCE #NAS6604-22	N/S
		B/O	-9	2	FALT WASHER	STEEL	1/2 O.D x 1/4 I.D. AIRCRAFT SPRUCE #AN960-416	N/S
		B/O	-11	2	SOCKET HEAD CAP SCREW	STEEL	10-32 x 5/8 UNF AIRCRAFT SPRUCE #NAS1351-3-10	N/S
		B/O	-19	1	PISTOL CASE	PLASTIC, BLACK	RSR SPORTS #10137	N/S
ASSY #	ASSY #							



RED BARN MACHINE		
TITLE		
BALANCE SET		
DWG NO.	RB T101280-101	REV A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: CLOUGH
TOLERANCES ON:		APPROVED <i>D Weil</i>
DECIMALS .XXX ± .005		HEAT
.XX ± .01		TREAT
.X ± .1		FINISH
FRACTIONS ± 1/32		SPEC
ANGLES ± 5°		
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R		USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING		BELL 206, OH-58
SCALE	NTS	DATE 11-23-10
		SHEET 1 of 4

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED




(-1)
SLEEVE


 RED BARN MACHINE			
TITLE BALANCE SET			
DWG NO. RB T101280-101-1			REV A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°		DRAWN BY: CLOUGH	
		APPROVED 	
		HEAT TREAT FINISH	
		SPEC	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL BELL 206, OH-58	
		SCALE NTS	DATE 11-23-10

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED





-3
SPACER

 RED BARN MACHINE			
TITLE BALANCE SET			
DWG NO. RB T101280-101-3			REV A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± .5°		DRAWN BY: CLOUGH	
		APPROVED <i>D Weil</i>	
		HEAT	
		TREAT	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		FINISH	
		SPEC	
		USED ON MODEL	
SCALE NTS		DATE 11-23-10	SHEET 3 of 4

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



 RED BARN MACHINE			
TITLE BALANCE SET			
DWG NO. RB T101280-101-5		REV A	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: CLOUGH	
TOLERANCES ON:		APPROVED <i>D. Weil</i>	
DECIMALS		HEAT	
.XXX ± .005		TREAT	
.XX ± .01		FINISH	
.X ± .1		SPEC	
UNLESS OTHERWISE SPECIFIED		USED ON MODEL	
1. BREAK ALL SHARP EDGES		BELL 206, OH-58	
.015 x 45° PR .015 R			
2. DIMENSIONAL LIMITS APPLY AFTER PLATING			
SCALE NTS	DATE 11-23-10	SHEET 4 of 4	